

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## ----- NATALITY -----

TOTAL LIVE BIRTHS			195	Birth Order		Births	Percent	Marital Status				
Crude Live Birth Rate			11.6	First		79	41	of Mother		Births	Percent	
General Fertility Rate			54.9	Second		57	29	Married		131	67	
				Third		29	15	Not married		64	33	
				Fourth or higher		30	15	Unknown		0	0	
Live births with reported congenital anomalies			6	Unknown		0	0					
			%					Education of Mother			Births	Percent
Delivery Type		Births	Percent	First Prenatal Visit		Births	Percent	Elementary or less		1	1	
Vaginal after				1st trimester		155	79	Some high school		14	7	
previous cesarean		7	4	2nd trimester		35	18	High school		93	48	
Forceps		0	0	3rd trimester		4	2	Some college		59	30	
Other vaginal		150	77	No visits		1	1	College graduate		28	14	
Primary cesarean		22	11	Unknown		0	0	Unknown		0	0	
Repeat cesarean		16	8					Smoking Status of Mother		Births	Percent	
Other or unknown		0	0	Number of Prenatal Care visits		Births	Percent	Smoker		62	32	
Birth Weight		Births	Percent	No visits		1	1	Nonsmoker		133	68	
<1,500 gm		4	2.1	1-4 visits		6	3	Unknown		0	0	
1,500-2,499 gm		8	4.1	5-9 visits		52	27					
2,500+ gm		183	93.8	10-12 visits		76	39					
Unknown		0	0.0	13+ visits		60	31					
				Unknown		0	0					
			</									

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	<5
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	0
Lyme	<5
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	10
Genital Herpes	<5
Gonorrhea	.
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	3,392
Non-compliant	6
Percent Compliant	99.8

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	188
Crude Death Rate	1,115

Age	Deaths	Rate
1-4	.	.
5-14	1	.
15-19	1	.
20-34	.	.
35-54	11	.
55-64	20	1,431
65-74	33	2,713
75-84	56	5,441
85+	65	14,604

Infant

Mortality	Deaths	Rate
Total Infant	1	.
Neonatal	1	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	1	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	2	.
Neonatal	1	.
Fetal	1	.

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	58	344
Ischemic heart disease	.	.
Cancer (total)	31	184
Trachea/Bronchus/Lung	.	.
Colorectal	2	.
Female Breast	3	.*
Cerebrovascular Disease	19	.
Lower Resp. Disease	.	.
Pneumonia & Influenza	5	.
Injuries	9	.
Motor vehicle	4	.
Diabetes	9	.
Infectious & Parasitic	3	.
Suicide	.	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	.
Other Drugs	2	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	99	2
Alcohol-Related	19	1
With Citation:		
For OWI	19	0
For Speeding	1	0
Motorcyclist	4	0
Bicyclist	1	0
Pedestrian	3	1

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Injury-Related: All**

Total	131	7.8	4.3	\$9,233	\$72
<18	11	.	.	.	.
18-44	31	4.8	2.0	\$5,134	\$25
45-64	17	.	.	.	.
65+	72	26.8	5.7	\$11,961	\$320

**Injury: Hip Fracture**

Total	26	1.5	5.9	\$12,608	\$19
65+	25	9.3	6.0	\$12,730	\$118

**Injury: Poisonings**

Total	4	.	.	.	.
18-44	2	.	.	.	.

**Psychiatric**

Total	144	8.5	6.9	\$5,520	\$47
<18	37	8.7	6.2	\$4,446	\$39
18-44	61	9.5	6.9	\$5,499	\$52
45-64	24	6.8	8.0	\$6,180	\$42
65+	22	8.2	6.6	\$6,666	\$54

**Coronary Heart Disease**

Total	95	5.6	3.6	\$9,319	\$53
45-64	27	7.7	3.1	\$12,047	\$93
65+	62	23.0	3.9	\$8,707	\$201

**Malignant Neoplasms (Cancers): All**

Total	58	3.4	6.5	\$12,938	\$45
18-44	2	.	.	.	.
45-64	15	.	.	.	.
65+	41	15.2	7.0	\$13,484	\$205

**Neoplasms: Female Breast (rates for female population)**

Total	6	.	.	.	.
-------	---	---	---	---	---

**Neoplasms: Colo-rectal**

Total	7	.	.	.	.
65+	5	.	.	.	.

**Neoplasms: Lung**

Total	8	.	.	.	.
-------	---	---	---	---	---

**Diabetes**

Total	26	1.5	3.6	\$5,054	\$8
65+	13	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Alcohol-Related**

Total	92	5.5	8.8	\$5,481	\$30
18-44	58	9.0	9.1	\$5,347	\$48
45-64	24	6.8	7.9	\$6,113	\$42

**Pneumonia and Influenza**

Total	100	5.9	4.2	\$5,872	\$35
<18	5	.	.	.	.
45-64	14	.	.	.	.
65+	77	28.6	4.4	\$4	\$0

**Cerebrovascular Disease**

Total	46	2.7	5.0	\$6,956	\$19
45-64	7	.	.	.	.
65+	37	13.8	4.9	\$6,910	\$95

**Chronic Obstructive Pulmonary Disease**

Total	52	3.1	3.4	\$4,271	\$13
<18	4	.	.	.	.
18-44	6	.	.	.	.
45-64	11	.	.	.	.
65+	31	11.5	4.2	\$5,222	\$60

**Drug-Related**

Total	8	.	.	.	.
18-44	3	.	.	.	.

**Total Hospitalizations**

Total	1,957	116.1	4.1	\$6,162	\$715
<18	322	75.7	2.8	\$2,607	\$197
18-44	503	78.5	3.6	\$4,427	\$347
45-64	334	95.3	4.3	\$7,372	\$702
65+	798	296.6	4.8	\$8,183	\$2,427

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	353	20.9	3.8	\$5,127	\$107
<18	23	5.4	2.4	\$2,610	\$14
18-44	34	5.3	3.3	\$4,292	\$23
45-64	69	19.7	3.2	\$5,315	\$105
65+	227	84.4	4.1	\$5,450	\$460

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.